A-21, Subhash Nagar, Jaipur-302016 Rajasthan (INDIA)

Mob.: 0091 98282 22220 Tel: 0091 141 2302220

E-mail: ankoorh@yahoo.com info@smgoverseasstonesllp.com Web: www.smgoverseasstonesllp.com The coord Stilleres & A. A.



NATURAL PORCELAIN TILES & SANITARY WARES








www.smgoverseasstonesllp.com

INSPIRATION +BRICF



Dear Colleagues, Partners and Well-Wishers,


SMG OVERSEAS is a modernized enterprise integrated with R&D, manufacturing, sales and services, having a complete set of integrated sales team, applying brand strategy, setting up enterprise image, and being the advocator and Pioneer in the field of Ceramics.

Keep improving and striving for excellence is the core strategy to our quality improvement. SMG OVERSEAS is devoting itself to exploring deeper on global ceramic, so as to provide high-quality products and sincere, sophisticated services to the whole customers, to build up the better life for all human.

The people of SMG OVERSEAS group will put their best efforts in the direction of providing luxurious interior solutions to our respected customers. The dynamic team of marketing and the innovative technologists will design and style products for the demanding customers.

Together we can beat the Best and Lets Make it Happen.

Porcelain Glazed Vitrified Tiles















•	Floor Tiles	
	600x600mm 600x1200mm	06 25
	Large Format Vitrified S	lahe
	1200x2400mm 1600x3200mm	5°
•	Full Body 600x600mm	114
•	Step & Riser 300x1200mm / 200x1200mm	119

129

Strips

200x1200mm
























ART ONYX

600x600mm




















BOTTOCHINO CREMA















CANVAS BROWN



















CLASSICO BROWN




CRAFT ONYX BEIGE



DISNEY BEIGE



DISNEY BROWN



DISNEY CREMA



DURO BEIGE





DURO BIANCO



DYNA GOLD

ORCELAIN GLAZED VITRIFIED TILES













DYNA MARFIL



FILITO VEINS



FLORENCE CHOCO



FLORENCE CREMA



FLORENCE MARBLE



FOG ONYX BEIGE



GAMA BIANCO





GAMA GREEN



GAMA GREY



GOLDEN PORTORO



HAZEL ONYX









LOFT CREMA







QUIRO WHITE



MARVEL BEIGE
















RUSSEL BEIGE



RUSSEL BIANCO



RUSSEL CREMA



RUSSEL GREY



SILVASA BLUE



SIRENA BIANCO



SKY ONYX BEIGE



SOFTEK BIANCO


















SPARTAN WHITE



STATUARIO BLUE



TRAVERTINO BEIGE



TRAVERTINO BIANCO



TRAVERTINO BROWN



TRAVERTINO GREY



URBAN AZUL



URBAN BEIGE



URBAN BIANCO



URBAN GREY



URBAN LIGHT



URBAN NATURAL


















URBAN VERDE









BLOSSAM WOOD BLUE



BLOSSAM WOOD BROWN



CEMENTO EARTH



CEMENTO GRIGIO



CEMENTO NERO



















FRENCH WOOD WENGE





MANGOLIA WOOD MOCA



PINE WOOD BROWN



REAL WOOD BEIGE



MANGOLIA WOOD NATURAL




PINE WOOD CLOUD



REAL WOOD BROWN

PORCELAIN GLAZED VITRIFIED TILES















ANTISKY



ARABASCOTO



ARMANI CHOCO














ARMANI GRIS



BIANCO CARRARA




BLACK INVERCE PORTORO





ARMANI GREY



BLACK PORTORO



CALCUTTA GREY



CEMENTO WHITE



CEMENTO WOOD



CONCRETE GRIS



CRYSTAL DYNA












DESERT BROWN



DESERT CREMA



DESERT GREY















FANTASTICO NATURAL



FANTASTICO ONICE



FILITO VEINS



FIRE GLASS



GLACIER WHITE



HILL CRECK
























IMPERIAL GRIS



IMPERIAL NATURIAL

















ISLAND BIANCO



ISLAND CREMA



MARMI LIME





MARVEL BEIGE













MONACO CHOCO



MONACO CREMA



MOUNTAIN CREMA



ONYX GOLD



ONYX VASA



PINETO WHITE



















SILVASA BLUE



TITANIUM BLACK





ROYAL GLACIER













TRAVERTINO BEIGE



TRAVERTINO BIANCO



TRAVERTINO BROWN



TRAVERTINO GREY
















AZUL STRIP



CEDAR WOOD



FRENCH WOOD WENGE



JUPITER DARK



JUPITER LIME



JUPITER NATURAL













NATURAL STRIP



PINE WOOD BROWN



REAL WOOD BROWN






TEAK WOOD



TIGER WOOD















ARMANI GREY





















BIANCA MARMO



BLUE BRESCIA



BOTTICINO CLASSIC NEW

















BRAZILLIA CEMENTO



BRESCIA BEIGE



BRESCIA



CALCUTTA INFINITY



DYNO BEIGE



EMPERADOR DARK

















EMPERDER GRIGIO



LUSTRO VENEER



MONALISA GREY



MOONSTONE BEIGE

















ONYX MANGO





PICASO OLIVE

















PORTORA


















RAINBOW ROCK





ROYAL BURBERRY

















STATUARIO ABSOLATE




STATUARIO CLASSIC







STATUARIO SUPER



1200X2400mm





















STONE CEMENTO



1200X2400mm











ANTIQUE BEIGE



APUANE SATUARIO



ANTIQUE GREY















ASTONIA GREY



ASTONIA GREY














BLACK FUSSION



BLACK FLASH













BRECCIA



BRONZE ARMANI













BURBERRY BEIGE



CALACUTTA BINACO ORO



CALACUTTA BORGHINI
















CAMOFLAGUE ESPERADA



CARRARA
















CARRARA ULTIMO







CLASSIC BEIGE



EXPOSED CEMENTO FABRICO BIANCO





EXPOSED CEMENTO FABRICO LATTE



GRIS BRUNO



FANTASY ONYX



IRON CORTEN



MOUNTAIN BLACK



MOUNTAIN LATTE



NERO MARQUINA













OXIDO BLUE



OXIDO ASH





PIETRA GREY















PULPIS GREY



PULPIS GREY LIGHT




SATUARIO



STATUARIO VENATO





VANILLA ONYX
































KEROS GRIS

KEROS QUARTZ

































CALIZA GREY



CALIZA GRIS



KEROS CHERRY


PORCELAIN GLAZED VITRIFIED TILES




CALIZA QUARTZ



CALIZA VERDE GREEN




CALIZA WHITE




















12004-STEP




12004-RISER






12001-RISER



12002-RISER



12003-RISER















12005-STEP







12005-RISER



12006-STEP



12006-BISER



12007-STEP



12007-RISER



12008-STEP



12008-RISER



12009-STEP



12009-RISER



12010-STEP



12010-RISER

















12013-STEP



12013-RISER



12051-STEP



12051-RISER



12053-STEP



12053-RISER















12054-STEP



12054-RISER



12055-STEP



12055-RISER



12056-STEP



12056-RISER



12057-STEP



12057-RISER



12058-STEP



12058-RISER



12059-STEP



12059-RISER

300X1200mm/200X1200mm



12060-STEP



12060-RISER

















AFRICAN BLACK WOOD



ALACIA BLACK



ALPHANO WOOD



AMERICAN ELM WOOD



ASPEN WOOD



BEIGE BRICH WOOD













BRICCOLA WOOD



BRICH FOREST



BROWN BRICH WOOD



BULOKE WOOD



CANARY WOOD



CHINABERRY WOOD



COCO WOOD



CORSON WOOD



CORSON WOOD GREY



CORSON WOOD LIGHT GREY



COTTAGE BEIGE



COTTAGE WOOD

132

















DIANO BEIGE



DIANO WOOD



ELEGANT WOOD



EMBOSS WOOD



FOREST WOOD



GREY BRICH WOOD











HEMPTON FOREST



JULYO WOOD



KALIDA WOOD CREMA



LINE WOOD



LINER COFFIE



LINER WOOD



LINER YELLOW



LONDON ROSE



MAPLE WOOD



MARINA WOOD



MASUR BRICH WOOD



MOGITO BLUE

136















NAVARRO BEIGE



NEO WOOD



OAK WOOD



OLIVE TREE



ONYX



ORME WOOD

















PARK AVENUE



PIER BROWN



PIER GREY



ROCK WOOD



RUST MITE



SANDAL WOOD




SANTA ROSA



SEQUOIA BROWN



SOLID WOOD



TIGAR WOOD



TIMBER WOOD



TRAVENTINE BEIGE















TRAVENTINE BLUE



TRAVENTINE BROWN



TRAVENTINE COFFE



TRAVENTINE DARK GREY



TRAVENTINE GREY



TRAVENTINE MANGO













TRAVENTINE RED



TRAVENTINE WHITE



VINTAGE WALL



WENGA WOOD



WESTERN RENDOM FACE-1



FACE-2 WESTERN RENDOM



WESTERN RENDOM

FACE-3



WESTERN RENDOM

FACE-4



WESTERN RENDOM

FACE-5



WESTAN WOOD



WHITE WOOD



WILLIAM BROWN



ZEBRA WOOD FACE-1



ZEBRA WOOD FACE-2



ZEBRA WOOD FACE-3



PACKING DETAILS

TILE SIZE (MM)	THICKNESS	COVERAGE AREA / BOX (APPROX.)				
		PCS. / BOX	SQ. MTR / BOX	SQ. FEET / BOX	WEIGHT / BOX (Kgs.)	BOXES / PALLET
600x600	9mm	4	1.44	15.5	29.5	40
600x1200	10mm	2	1.44	15.5	33	68
1200x2400	9mm	1	2.88	31	62	11
1600x3200	9mm	1	5.12	55.11	110	26
1600x3200	12mm	1	5.12	55.11	146	20
300x1200	10mm	3	1.08	11.63	24.65	40
200x1200	10mm	3	0.72	7.75	16.43	40

APPLICATION




























DISCLAIMER: SMG OVERSEAS reserves the right to delete and amend either totally or partially, any of the colors, shapes, sizes, reference and other technical specifications contained in this catalogue at anytime. The colors shown of tiles in this catalogue are purely illustrative and limited to printing process, please refer actual sample before final selection. The details of sizes, colors, references should be verified for typographical errors.

TILE FIXING INSTRUCTION

- 1. Plaster the surface of the floor where the tiles will be laid with smooth finish and complete the plastering and curing at least two weeks prior to laying.
- 2. Before fixing Our tiles, lay them out in the desired pattern and make sure that they give an acceptable blend of colour. Please note that certain amount of shade variation is inherent in the manufacture of fully vitrified ceramic tiles. THE COMPANY WILL BEAR NO LIABILITY AFTER THE TILES ARE FIXED.
- 3. The company bears no responsibility towards the tiles exposed to any outside process like transfers, printing, firing,
- 4. For fixing Our Tiles, we recommend the use of tile fixing adhesives for best results. Also follow the fixing instructions provided along with the adhesives.
- 5. For fixing Our tiles on the floor, using sand and cement, follow the instructions given below:
- a) Use cement and sand mortar in the ratio of 1:4. Add Some water to create a consistent paste.
- b) Once the mixing has completed do not add any further water and use the same within one hour.
- c) Apply a 20-30 mm, layer of bedding material over an area of 1 square meter at a time on the surface of the area. Apply a fine slurry to the back of the file to ensure proper and full bedding. Press gently for even adherence at the back of the tile. DO NOT USE AN IRON HAMMER OR SOME HEAVY MATERIAL TO PRESS THE TILE.

- 6. For fixing Our tiles on Dado, we recommend the use of tile fixing adhesive with proper troweling method for 100 percent coverage behind the tiles and for peerless bonding. Please follow the manufacturer's instructions for the same. We do not recommend the use of sand and cement for fixing on Dado.
- 7. Make and lay out tiles from the center of the area to be laid so that cut tiles, if any, will be on the outer edges towards the
- 8. The work size which we try to maintain for better technical performace is 80omm x 80omm on average. it is advisable to maintain a gap of 1 mm to 2 mm between every two tiles to allow possible expansion as per BIS/EN tolerance norms.
- 9. Complete the laying process by pressing the cut Our tiles firmly into place along the walls /floors.
- 10. Allow 3-4 days for bed curing after this period fill the joints with grouts. Usage of grout sealant is recommended for keeping the grout free of dust.
- 11. Fifteen minutes after finishing the grouting process, wipe off excess grout with a damp sponge and polish the tiles with a soft and dry cloth for a cleaned surface. The tiles can also be cleaned with a mild acid (However, Hydrofluoric acid and its derivatives should not be used).
- 12. Please note that the company does not accept any liability in case of problems arising out of non-adherence to these fixing

Kindly look for the arrow () on the back of the tile and follow the laying pattern as shown in Pic-1:-



Nothing in these instructions is Substitude for Good Workmanship and Supervision

APPLICATION




























Note: Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER 13006/EN 176 Group Bla	MEAN VALUE OF SMG OVERSEAS	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	±0.5 %	±0.1 %	ISO-10545-2
Deviation in thickness	±0.5 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	ISO-10545-16
Glossiness	As per mfg.	Min 90%	GLOSSOMETER
STRUCTURAL PROPERTIES			
Water absorption	≤0.50 %	≤0.050 %	ISO-10545-3
Apparent density	>2.0 g/cc	>2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIE	s		
Modulus of rupture	Min. 35 N/mm2	Min. 40 N/mm2	ISO-10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
mpact resistance	As per mfg.	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIE	ES		
Surface abrasion resistance	As per mfg.	Min. Class-3	ISO-10545-7
MOH's hardness	As per mfg.	Min. 4	EN 101
THERMO HYGROMETRIC PROPERTI	ES		
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Thermal expansion (CEO)	Max. 9.0 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 cycle	ISO-10545-11
CHEMICAL PROPERTIES			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
Slip resistance	As per mfg.	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fireproof	N.A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb & Cd	ISO-10545-15













INDEX









WASH BASIN PEDESTAL





SUPRIMME SET - 20"x16"





MINI STERLING SET - 22"x17"



REPOSE SET - 22"x16"



SERENA SET - 23"x17"



SOBER SET - 20"x16"







JAL BINDU - 12"x9"





CORNER - 14"x14"



STENCIL - 18"x13"



FLOWER - 18"x14"



SUPER - 18"x14"



INDICA - 15"x12"



SAVIO - 18"x15"



SHARP - 18"x13"









ORB - 13"x13"



ROUND (Counter Basin) - 22"



PREMIUM SANITARYWARE COLLECTION

TWO PIECE WATER CLOSET



APOLLO



ULTRA (S-Trap)



AQUA



VIVA - EWC (P-Trap)



EWC (S-Trap)




EUROPA - EWC (S-Trap) Consealed



ANGLO - WC (P & S-Trap)











ORISSA PAN - 20" (Regular)



ACUPRESSURE (Sq. Dotted)



C.T. PAN (Asian Pan)



ORISSA PAN - 20" (Regal)



ACUPRESSURE (Round Dotted)



MEDIUM DEEP PAN







EASTERN PAN



SQ. PAN (New Thai)



SQ. PAN (With Integrated S-Trap)



ISRAEL PAN (Top Side Inlet)



SQ. PAN (Thai)



23" | 20" | 18" INDIAN WATER CLOSET



INDIAN WATER CLOSET



HALF STALL URINAL



FLAT BACK URINAL



MINI STALL URINAL



FLAT BACK URINAL (D-lux)



SQUATTING URINAL




SERENA SET











SWIFT SET

SMART - 18"x12" (Co. Brown)



SMART - 18"x12" (Green)



SMART - 18"x12" (T. Blue)



SMART - 18"x12" (Decor)



SMART - 18"x12" (Pink)



SMART - 18"x12" (Red Brown)



SMART - 18"x12" (Rustic)

PREMIUM SANITARYWARE COLLECTION

ACCESSORIES



PVC CISTERN (Classic)



CISTERN FLUSHING KIT (Dual Flush)



PVC CISTERN (Ultra)



CISTERN FLUSHING KIT



SEAT COVER - 1




SEAT COVER - 2



SOAP DISH - 6"x6"



TOILET PAPER HOLDER 6"x6"




WALL HUNG BASIN

As per shown in the picture, the rag bolt must be grouted into the cement/concrete wall. The bolts must be fixed to the cement/concrete wall. Allow setting & checking than install it using nut and washer.

COUNTER WASHBASIN

At the beginning

- 1. A skilled or experienced person should install counter lavatories.
- 2. Avoid using adhesive with this product.
- 3. Check the waste area and supply tubing if required.
- 4. Do not open the lavatory from its protective carton until you are ready for installation.
- 5. Please follow all local building and plumbing codes.



MATERIAL & TOOLS

Measure tape, Keyhole or saber saw, Hammer, Glasses, Rags or Paper toweling, Drill (1/2 dia, drill bit or larger), Pencil, sealant, sharp knife or scissors.

INSTALLATION OF LAVATORY

Please Note: Please install it in a way that future removal from underneath the counter top is possible without damaging the counter top.

- 1. Please check the desired location for clearance between the back splash, faucet, Fixture and cabinet.
- 2. Please cut the template.
- 3. Please carefully trace the template on the counter top directed.
- 4. Please mark the faucet hole centerline on the counter top.
- 5. Please drill a 1/2" pilot on the inside of the cut line.



For Wood Counter tops:

- 1. Mark and per-drill the wood screw holes at the locations shown on the template.
- 2. Waterproof any exposed areas of wood.



For Marble Counter tops:

- 1. Position the counter top upside down on foam padding to protect the surface. Mark and drill 3/6" holes 5/8" deep at the locations shown on the template.
- 2. Use a setting tool and hammer to secure the anchors.



For All Installations:

- 1. If the counter top has not been installed, install it at this time.
- 2. Drill the faucet holes according to the faucet installation instructions.
- 3. Install the faucet to the counter top according to the manufacture's instructions.
- 4. Install the drain to the lavatory according to the manufacture's instructions.

MAINTENANCE

Like any other part of your house, the bathroom can be made to look great and made to last long if it is taken care of regularity. To make your bathroom beautiful here are some invaluable tips.

Wash Basin:

A mild detergent can be used to wash the basin at least once a day. After washing, the basin should be wiped out clearly to avoid water stains.

Closets:

Cleanser like Harpic can be used to clear the closet with soft plastic brush, at least once a day.

To avoid minute discoloring, after flushing the toilet give it a once over with the soft brush.

Keep the toilet brush handy in a convenient stand nearby.

In case of toilets and basins, if there has been no maintenance since long period of time, water deposits and discoloration can form on the surface of areas that get wet. In such cases, these stains/marks can be removed with the help of a solution of dilute hydrochloric acid.

Clean with a soft cotton cloth and warm water with soap.

Do not use thinner, day cleaning liquids or powder paste. Use a liquid cleaner at least twice a week.

Use brasso or car rubbing compound and then polish with a cloth to remove fine scratches.